


FRONT ELEVATION
OUTSIDE RIGHT MOTOR SHOWN

VERTICAL SECTION



DOOR NUMBER	QUANTITY	MOTOR CONFIGURATION	SIZE IN CLEAR		TEMPERATURE CONDITIONS		WARM SIDE MOUNT	
			W. I. C.	H. I. C.	FRONT	BACK	YES	NO

AUTHORIZED SIGNER _____

DATE _____

NOTES:

1. DOOR PANEL 35 OZ/SQ YD POLYESTER REINFORCED PVC

COLORS AVAILABLE:

- WHITE A-LIKE RAL 9010 _____
- DARK BLUE A-LIKE RAL 5002 _____
- ORANGE A-LIKE RAL 2004 _____
- RED A-LIKE RAL 3002 _____
- YELLOW A-LIKE 1003 _____
- LIGHT GREY A-LIKE 7035 _____
- DARK GREY A-LIKE 7037 _____

2. POWER OPERATED DOOR WITH SOFT START, DIGITAL CONTROL, NO LIMIT SWITCHES AND EXCLUSIVE AUTO SETUP WHICH INCLUDES INFRARED SAFETY BEAM AND WIRELESS SAFETY EDGE WITH PUSH BUTTON ON CONTROL PANEL AND OPENING SPEEDS UP TO 100 IN/SEC SIZES UP TO 110 SQUARE FEET 50 IN/SEC SIZES GREATER THAN 110 SQUARE FEET DOORS CLOSE AT 24 IN/SEC UP TO 110 SQUARE FEET DOORS CLOSE AT 12 IN/SEC GREATER THAN 110 SQUARE FEET

SPECIFY VOLTAGE:

- 208 THREE PHASE 60 HZ _____
- 230 THREE PHASE 60 HZ _____
- 460 THREE PHASE 60 HZ _____

CONTROL OPTIONS:

- PULL CORD _____ QTY. _____
- PUSH BUTTON _____ QTY. _____
- MOTION DETECTOR _____ QTY. _____
- FLOOR LOOP _____ QTY. _____
- UNROLL SENSOR _____
- PROX SENSOR IN LIEU OF PUSH _____
- BUTTON ON CONTROL PANEL _____
- REVERSING EDGE _____

HOOD AND FRAME FINISH

- GALV _____ SST _____

HEAT SYSTEM

- VOLTAGE: 120VAC FOR 460 DOORS
- 208VAC FOR 208 DOORS
- 240VAC FOR 240 DOORS

DEPENDING ON TEMPERATURES AND INSTALLATION CONDITIONS, ALL, SOME OR NONE OF THE HEAT OPTIONS BELOW MAY BE NEEDED.

- HEATED FRAME
- RECIRCULATORY HEATER(S)
- CONDITIONING HEATER

INSIDE TRIM

- 1" PVC BOARD, WHITE _____

PREWIRING

PREWIRING FROM THE CONTROL PANEL TO DOOR IS CABLING AND NOT IN CONDUIT. CONDUIT NOT SUPPLIED BY JAMISON.

- NO PREWIRING _____
- STANDARD PREWIRING _____
- 32 FT EXTENDED PREWIRING _____

NEMA RATING

- NEMA1 _____
- NEMA4X SST _____
- NEMA4X PLASTIC _____

CUSTOMER NOTES:

REV	DATE	BY	DESCRIPTION	ISSUE
D	02-14-18	DTL	UPDATED OPEN SPEED & SIZE	CS-2209
P	03-09-16	JRR	REMOVED HEAT PANEL ASST BOM	CS-2044
N	12-08-15	JRR	CHANGED SIDE FRAMES FOR REVISION	CS-2018
M	07-31-15	JRR	ADDED PREWIRING OPTION	CS-1986
L	05-06-15	JRR	REMOVED NOTE WARM SIDE CONTROL PANEL	CS-1913
K	10-15-14	JRR	REMOVED WOOD METAL CLAD TRIM OPTION	CS-1913
J	09-05-14	JRR	CHANGED INCLUDE TRIM OPTION	CS-1888
H	07-28-14	JRR	CORRECTED NAME TO FRIGO 2	CS-1882
G	06-16-14	JRR	REMOVED ADDUM FROM SIDE FRAME HEIGHT	CS-1835
F	01-30-14	JRR	ADDED OPTIONAL INSIDE TRIM	CS-1825
E	12-31-13	JRR	ADDED OPEN TOP CLEARANCE	CS-1824
D	10-31-13	JRR	ADDED CONTROL PANEL AND LOCATION	CS-1804
C	10-28-13	JRR	UPDATED OPERATING SPEED NOTES	CS-1800
B	09-20-13	JRR	UPDATED HEAT SYSTEM OPTIONS, ADDED BOM	CS-1788
A	08-22-13	DF-A	ADDED MOTOR CONFIGURATION TO CHART	CS-1788

CUSTOMER:

SCALE(S)	NONE	JOB NAME	XXXXXXXXXX
DATE	XX/XX/XX	DESIGN	XXXX
CHECKED	APPROVED	TITLE	DYNAMICROLL FRIGO 2
JAMISON DOOR COMPANY		HAGERSTOWN, MARYLAND 21741	

ALL DIMENSIONS EXCEPT AS NOTED TOLERANCE ON FRACTIONAL DIMENSIONS EXCEPT AS NOTED TOLERANCE ON DECIMAL DIMENSIONS EXCEPT AS NOTED

NO. H4487009Q

NO. H4487009Q